
FAV, Talk no. 3, Auditory pathway

https://dec52.lf1.cuni.cz/~pmar/ftp/REST/PPT-FEL/


Petr Maršálek



- presentation update -

Outline – Review of the auditory pathway anatomy is here

- Auditory nerve encodes sound in digital format using trains of action potentials (spike trains) composed from binary (all-or-none) pulses.
- Auditory pathway branches into two anatomically and functionally distinct neural pathways: 1 ascending mono-aural pathway and 2 binaural pathway.
- Between cochlea and auditory cortex, signal is relayed through circa 10 neuronal relays. Some have fewer and some have more neurons inbetween. We highlight 7 here. Not all of them have known functions.
- This (3rd) talk deals with sub-cortical processing, while next (4th) deals with thalamo- cortical (in short cortical) processing and binaural/ =spatial hearing.
- Distinct mono aural nuclei are: 1 spiral ganglion = auditory nerve center, 2 cochlear nuclei, 3 superior olivary complex. These are medial and lateral superior olives (MSO and LSO) and 4 lamina quadri-gemina nuclei, one of whose is inferior colliculus.
- Then as numbers 5, 5A, 5B, 5C/ and variable number inbetween/ the pathway intertwines through the bundle of lemniscus lateralis to 6 medial geniculate nucleus, which is in fact thalamic nucleus.
- Last stage is 7: auditory part of cerebral cortex. It consists od several auditory areas, one called primary and the rest is dubbed secondary.
- Binaural pathway starts with the 3rd neuron of medial or lateral superior olive.
- While it is easy to dissect these pathways into anatomical parts, we want to know, what are neuronal functions, and they are mostly unknown to date.
- Majority of this talk deals with spikes, so let us start over with the spikes = action potentials.




Auditory pathway Mono-aural (1) pathway overview


/~45

Before starting with spikes, recall Normal audiogram: x-axis, sound frequency (Hz), y-axis, sound pressure (Pa). Red top curve is pain threshold. Hearing threshold is Green bottom curve. Blue are curves of *subjectively* equivalent loudness level. dB SPL is *objective* unit, phone is *subjective* unit. Yellow blob is speech region.


Gray line is reference frequency 1000 Hz.



Spike, or Action Potential, AP, Is an Unitary Impulse.



AP Conduction in Neural Fiber



RECALLING PSYCHO-PHYSICS: Objective /to Subjective Barrier; Physical /to Perceptual Energy

- amplitude
- frequency
- spectrum
- duration
- azimuth

A modulation, etc

- loudness
- pitch
- timbre
- length
- direction

roughness, etc

But: how is this represented/ encoded?

Origin: Axon departure from the neuronal body.

Propagation: By local circuits or, in myelinated axons, by saltatory conduction

from one Ranvier node (b) to another.

Termination: In axon terminals: presynaptic buttons (c).

Transmission: To postsynaptic membranes of another neurons (d), or to muscle cells (e), or to


epithelial cells (f).

At the synapse, AP leads to secretion of neurotransmitters that bind to and modify the

conductance of postsynaptic membrane channels.


Effect: Excitation or inhibition of postsynaptic neuron (d), initiation of muscle contraction

(g), modulation of secretion/absorption (h)...





Action Potential (AP) Propagation, and Conduction on a Synapse

Excitatory and Inhibitory Post-Synaptic Potentials, EPSPs and IPSPs. (Plus neuromuscular plate, just for completeness...)



PCM (při osmi krantovacích úrovních)






Frequency:

Encoding of Sound
Loudness and
Frequency by APs
(= Spike Trains)

>2000 Hz

Objective /to Internal /to Subjective; This transform is described as: Psychophysical Law, is also called Psychometric Function, R=f(S)





High, Middle and Low Spontaneous Rate **Auditory Nerve Fibres**


dB SPL, decibels of sound pressure level (objective units) spike rate (internal units)

x-axis: stimulus intensity, dB SPL, y-axis: neuronal spike rate per s

[WINTER I.M., PALMER A.R. Intensity coding in lowfrequency auditory-nerve fibres of the guinea pig. J Acoust Soc Am 1991, 90, pp. 1958–1967]









[Winter and Palmer, 1991]₁₃

Physical /to Internal Representation of Percept; Modality of Percept;

Internal Representation by Spike Trains




[Camalet, Duke, Julicher, Prost, Proc Natl Acad Sci USA, 2000]



Vector strength,

has values from 0 to 1. Is similar to correlation coefficient (which has values from -1 to 1).



$$r(\varphi) = \frac{1}{N} \sqrt{\left(\sum_{i=1}^{n} \cos \varphi_{i}\right)^{2} + \left(\sum_{i=1}^{n} \sin \varphi_{i}\right)^{2}}$$
 [Joint of the property of the


[Joris et al, 2006]

[Goldberg and Brown, 1969]

Vector strength r

Examples with values r = 0.5, 0.8, 0.05 $1 + \sin \phi$, r = 0.5

(Narrow) rectangular pulse, r = 0.8 sine with DC component, r = 0.05




[Toth, Marsalek, Pokora, Biol Cybern, 2018]

Circular statistics


Circular statistics is used in description of repetitive events (time domain).

It can cover time repetition on different time scales. (Examples: sound period, time gap in sound.)
Can be used in description of horizontal sound localization (for different quantities: time or space).




17

"Canonical" spiking auditory model




Vector strength, spike timing jitter and other variability measures




[Toth, Marsalek, Pokora, Biol Cybern, 2018]

Auditory pathway, parts (1) and (2)



How the brain works.



Auditory pathway Binaural part (2)

Three notes to lateral symmetry of auditory pathway

>Compared to visual pathway, where left and right parts of visual scene only cross, the auditory pathway is from the third (first binaural) neuron on backed up by the crossings >Speech centers are laterally assymetric (due to probable functional purpose) >Difference between the left and the right ear is used in sound localization






Figure 18. Summary of experiments demonstrating bilaterality of auditory pathways in dog. Number below each diagram is hearing loss in decibels; box around symbol for cerebral cortex or cochlea indicates destruction of it. In D, hearing depends on uncrossed fibers of left lateral lemniscus, whereas in E hearing depends upon crossed fibers of right lateral lemniscus. Hearing loss is equal in the 2 cases.

(Coincidence) Detection Probability of Two Spikes Converging on Medial Superior Olive Neuron








[Toth, Marsalek, Pokora, Biol Cybern, 2018]

Objective Signal From Lower Auditory Etages Is Recorded As: Evoked Potentials

AEP – auditory EP VEP – visual EP







Repetition rate in brainstem ER audiometry Can be of low freq. sound (40 Hz).

I[R. Hari et al, Exp Brain Res, 1980]

Literary references

[Werner, Mountcastle, J Physiology, 1965], [Goldberg and Brown, J Physiology 1969], [R. Hari et al, Exp Brain Res, 1980] [C. Koeppl, J Neuroscience, 1997], [Camalet, Duke, Julicher, Prost, Proc Natl Acad Sci USA, 2000], [Joris, et al, Hear Res, 2006], [Koeppl C, Biol Cybern, 1997] (on vector. strength in barn owl) etc

our group
[Marsalek, Lansky,
Biol Cybern, 2005],
[Toth, Marsalek, Pokora,
Biol Cybern, 2017]
[Bouse, Vencovsky, Rund,
Marsalek, JASA, 2019]
etc


Conclusions

- 1 Auditory pathway consists of mono-aural and binaural part.
- 2 Neurons encode signals by trains of action potentials, spike trains.
- 3 Several sound processing stages are attributed to different nuclei in the auditory pathway.
- 4 Binaural hearing uses two cues, Interaural Time Difference (ITD) and Interaural Level Difference. ILD (Level) difference is more important.
- 5 Ultimate processing stage is sound representation in Auditory Cortex.

Summary

- Auditory nerve encodes sound in digital format using trains of action potentials (spike trains) composed from binary (all-or-none) pulses.
- Auditory pathway branches into two anatomically and functionally distinct neural pathways: 1 ascending mono-aural pathway and 2 binaural pathway.
- Between cochlea and auditory cortex, signal is relayed through circa 10 neuronal relays (we highlight 7 here). Not all of them have known functions.
- This (3rd) talk deals with sub-cortical processing, while next (4th) deals with thalamo- cortical, in short cortical processing.
- Distinct mono aural nuclei are: 1 spiral ganglion (auditory nerve center),
 2_cochlear nuclei, 3 superior olivary complex (MSO, LSO) and 4 lamina quadrigemina nuclei, one of whose is inferior colliculus.
- Then as numbers 5, 5A, 5B, 5C the pathway intertwins through the bundle of lemniscus lateralis to 6 medial geniculate nucleus, which is in fact thalamic nucleus.
- Last stage is 7 auditory part of cerebral cortex consisting od several auditory areas, one called primary and the rest is dubbed secondary.
- Binaural pathway starts with the 3rd neuron of medial or lateral superior olive.
- While it is easy to dissect these pathways into anatomical parts, it is relevant what are functions of these, and they are mostly unknown to date.
- Majority of this talk deals with spikes, spikes = action potentials.

END OF THE LECTURE



Thanks for your attention

Warning: neither the PDF, nor the PPT, PPTX, etc. versions of this presentation are official study materials. For internal use only. Do not distribute.

Contacts: (Petr.Marsalek@CVUT.CZ)

Petr.Marsalek@LF1.CUNI.CZ


This Is Proprietary Material of the Czech Technical University

České vysoké učení technické v Praze, Fakulta elektrotechnická Právní doložka (licence) k tomuto Dílu (elektronický materiál) České vysoké učení technické v Praze (dále jen ČVUT) je ve smyslu autorského zákona vykonavatelem majetkových práv k Dílu či držitelem licence k užití Díla. Užívat Dílo smí pouze student nebo zaměstnanec ČVUT (dále jen Uživatel), a to za podmínek dále uvedených.

ČVUT poskytuje podle autorského zákona, v platném znění, oprávnění k užití tohoto Díla pouze Uživateli a pouze ke studijním nebo pedagogickým účelům na ČVUT. Toto Dílo ani jeho část nesmí být dále šířena (elektronicky, tiskově, vizuálně, audiem a jiným způsobem), rozmnožována (elektronicky, tiskově, vizuálně, audiem a jiným způsobem), využívána na školení, a to ani jako doplňkový materiál. Dílo nebo jeho část nesmí být bez souhlasu ČVUT využívána ke komerčním účelům. Uživateli je povoleno ponechat si Dílo i po skončení studia či pedagogické činnosti na ČVUT, výhradně pro vlastní osobní potřebu. Tím není dotčeno právo zákazu výše zmíněného užití Díla bez souhlasu ČVUT. Současně není dovoleno jakýmkoliv způsobem manipulovat s obsahem materiálu, zejména měnit jeho obsah včetně elektronických popisných dat, odstraňovat nebo měnit zabezpečení včetně vodoznaku a odstraňovat nebo měnit tyto licenční podmínky.

V případě, že Uživatel nebo jiná osoba, která drží toto Dílo (Držitel díla), nesouhlasí s touto licencí, nebo je touto licencí vyloučena z užití Díla, je jeho povinností zdržet se užívání Díla a je povinen toto Dílo trvale odstranit včetně veškerých kopií (elektronické, tiskové, vizuální, audio a zhotovených jiným způsobem) z elektronického zařízení a všech záznamových zařízení, na které jej Držitel díla umístil.

sound azimuth, model and subjective response



[Bouse, Vencovsky, Rund, Marsalek, JASA, 2019]

Group: Audiology, Acoustics and Computational Neuroscience, CTU and 1stMF CUni (year 2015)

